



Tasmanian devil publications associated with Devil Facial Tumour Disease to July 2011

AUSVET. 2005. Tasmanian devil facial tumour disease response. Technical Workshop: 29-31 August 2005. Final Report, Department of Primary Industries, Water, and Environment, Hobart (Tasmania).

Belov K. (2011) The role of the Major Histocompatibility Complex in the spread of contagious cancers. *Mammalian Genome* 22: 83-90

Bode, M., C. Hawkins, T. Rout, and B. Wintle. 2009. Efficiently locating conservation boundaries: Searching for the Tasmanian devil facial tumour disease front. *Biological Conservation* 142:1333-1339.

Bode, M. and B. Wintle. How to build an efficient conservation fence: Contributed paper. *Conservation Biology* 24:182-188.

Bradshaw, C. J. A. and B. W. Brook. 2005. Disease and the devil: density-dependent epidemiological processes explain historical population fluctuations in the Tasmanian devil. *Ecography* 28:181-190.

CBSG. 2008. Tasmanian Devil PHVA Final Report. Apple Valley, MN.

Church, J. S., D. J. Evans, and A. L. Woodhead. 2009. The characterization of Tasmanian devil *Sarcophilus harrisii* pelage fibres and their associated lipids. *Acta Zoologica* 90:380-389.

Czarny, N. A. and J. C. Rodger. Vitricification as a method for genome resource banking oocytes from the endangered Tasmanian devil (*Sarcophilus harrisii*). *Cryobiology* 60:322-325.

Fassati, A. and N. A. Mitchison. 2009. Testing the theory of immune selection in cancers that break the rules of transplantation. *Cancer Immunology, Immunotherapy*:1-9.

Hamede, R., J. Bashford, H. McCallum, and M. Jones. 2009. Contact networks in a wild Tasmanian devil (*Sarcophilus harrisii*) population: using social network analysis to reveal seasonal variability in social behaviour and its implications for transmission of devil facial tumour disease. *Ecology Letters* 12:1147-1157.

Hamede, R., H. I. McCallum, and M. E. Jones. 2008. Seasonal, demographic and density-related patterns of contact between Tasmanian devils: Implications for transmission of Devil Facial Tumour Disease. *Austral Ecology* 33:614-622.

Hawkins, C. E., C. Baars, H. Hesterman, G. J. Hocking, M. E. Jones, B. Lazenby, D. Mann, N. Mooney, D. Pemberton, S. Pyecroft, M. Restani, and J. Wiersma. 2006. Emerging disease and population decline of an island endemic, the Tasmanian devil *Sarcophilus harrisii*. *Biological Conservation* 131:307-324.

- Hesterman, H. and S. M. Jones. 2009. Longitudinal monitoring of plasma and fecal androgens in the Tasmanian devil (*Sarcophilus harrisii*) and the spotted-tailed quoll (*Dasyurus maculatus*). *Animal Reproduction Science* 112:334-346.
- Hesterman, H., S. M. Jones, and F. Schwarzenberger. 2008. Pouch appearance is a reliable indicator of the reproductive status in the Tasmanian devil and the spotted-tailed quoll. *Journal of Zoology* 275:130-138.
- Hesterman, H., S. M. Jones, and F. Schwarzenberger. 2008. Reproductive endocrinology of the largest dasyurids: Characterization of ovarian cycles by plasma and fecal steroid monitoring. Part I. The Tasmanian devil (*Sarcophilus harrisii*). *General and Comparative Endocrinology* 155:244-254.
- Holtcamp, W. 2007. Sympathy for the devil. Ideas emerge to save the dying Tasmanian devil. *Scientific American* 296:27.
- Izzard, L., S. Graves, E. Cox, S. Fenwick, N. Unsworth, and J. Stenos. 2009. Novel rickettsia in ticks, Tasmania, Australia. *Emerging Infectious Diseases* 15:1654-1656.
- Jackson, A. E. In this issue - May 2010. *Australian Veterinary Journal* 88:157-159.
- Jones, M., P. Jarman, C. Lees, H. Hesterman, R. Hamede, N. Mooney, D. Mann, C. Pukk, J. Bergfeld, and H. McCallum. 2007. Conservation management of Tasmanian devils in the context of an emerging, extinction-threatening disease: Devil Facial Tumor Disease. *EcoHealth* 4:326-337.
- Jones, M. E. 1993. Road mortality of eastern quolls and devils on the Cradle Mountain tourist road., Department of Transport and Works and Department of Environment and Land Management, Parks and Wildlife Service.
- Jones, M. E. 2000. Road upgrade, road mortality and remedial measures: impacts on a population of eastern quolls and Tasmanian devils. *Wildlife Research* 27:289-296.
- Jones, M. E., A. Cockburn, R. Hamede, C. Hawkins, H. Hesterman, S. Lachish, D. Mann, H. McCallum, and D. Pemberton. 2008. Life-history change in disease-ravaged Tasmanian devil populations. *Proceedings of the National Academy of Sciences of the United States of America* 105:10023-10027.
- Jones, M. E., D. Paetkau, E. Geffen, and C. Moritz. 2003. Microsatellites for the Tasmanian devil (*Sarcophilus laniarius*). *Molecular Ecology Notes* 3:277-279.
- Jones, M. E., D. Paetkou, E. Geffen, and C. Moritz. 2004. Genetic diversity and population structure of Tasmanian devils, the largest marsupial carnivore. *Molecular Ecology* 13:2197-2209.
- Jones M. E. and H. McCallum (2011) The Devil's Cancer. *Scientific American* 304: 72-77
- Jones, S. M., T. J. Lockhart, and R. W. Rose. 2005. Adaptation of wild-caught Tasmanian devils (*Sarcophilus harrisii*) to captivity: evidence from physical parameters and plasma cortisol concentrations. *Australian Journal of Zoology* 53:339-344.

Kreiss, A., N. Fox, J. Bergfeld, S. J. Quinn, S. Pyecroft, and G. M. Woods. 2008. Assessment of cellular immune responses of healthy and diseased Tasmanian devils (*Sarcophilus harrisii*). *Developmental and Comparative Immunology* 32:544-553.

Kreiss A., C. Tovar, D. L. Obendorf, K. Dun and G. M. Woods (2011) A Murine Xenograft Model for a Transmissible Cancer in Tasmanian Devils. *Veterinary Pathology* 48: 475-481

Kreiss, A., D. L. Obendorf, S. Hemsley, P. J. Canfield, and G. M. Woods. 2009. A histological and immunohistochemical analysis of lymphoid tissues of the Tasmanian devil. *Anatomical Record* 292:611-620.

Kreiss, A., B. Wells, and G. M. Woods. 2009. The humoral immune response of the Tasmanian devil (*Sarcophilus harrisii*) against horse red blood cells. *Veterinary Immunology and Immunopathology* 130:135-137.

Lachish S., P. Abraham and M. E. Jones (2011) A new PCR assay for reliable molecular sexing of endangered Tasmanian devils (*Sarcophilus harrisii*) from non-invasive genetic samples. *Conservation Genetics Resources* 3: 279-281.

Lachish, S., M. H., D. Mann, C. E. Pukk, and M. E. Jones. 2010. Evaluating selective culling of infected individuals to control Tasmanian devil Facial Tumor Disease. *Conservation Biology*.

Lachish, S., M. Jones, and H. McCallum. 2007. The impact of devil facial tumour disease on the survival and population growth rate of the Tasmanian devil. *Journal of Animal Ecology* 76:926-936.

Lachish, S., H. McCallum, and M. Jones. 2009. Demography, disease and the devil: Life-history changes in a disease-affected population of Tasmanian devils (*Sarcophilus harrisii*). *Journal of Animal Ecology* 78:427-436.

Lachish, S., H. McCallum, D. Mann, C.E. Pukk and M. E. Jones (2010) Evaluation of Selective Culling of Infected Individuals to Control Tasmanian Devil Facial Tumor Disease. *Conservation Biology* 24: 841-851.

Lachish, S., K. J. Miller, A. Storfer, A. W. Goldizen, and M. E. Jones. 2010 Evidence that disease-induced population decline changes genetic structure and alters dispersal patterns in the Tasmanian devil. *Heredity* 106: 172-182.

Loh, R., J. Bergfeld, D. Hayes, A. O'Hara, S. Pyecroft, S. Raidal, and R. Sharpe. 2006. The pathology of Devil Facial Tumor Disease (DFTD) in Tasmanian Devils (*Sarcophilus harrisii*). *Veterinary Pathology* 43:890-895.

Loh, R., D. Hayes, A. Mahjoor, A. O'Hara, S. Pyecroft, and S. Raidal. 2006. The immunohistochemical characterization of Devil Facial Tumor Disease (DFTD) in the Tasmanian Devil (*Sarcophilus harrisii*). *Veterinary Pathology* 43:896-903.

Lunney, D., M. Jones, and H. McCallum. 2008. Lessons from the looming extinction of the Tasmanian Devil. *Pacific Conservation Biology* 14:151-153.

McCallum, H. 2008. Tasmanian devil facial tumour disease: lessons for conservation biology. *Trends in Ecology & Evolution* 23:631-637.

McCallum, H. and M. Jones. 2006. To lose both would look like carelessness... Tasmanian Devil Facial Tumour Disease. Public Library of Science. *Plos Biology* 4:1671 - 1674.

McCallum, H. and M. Jones. 2010. Sins of omission and sins of commission: St Thomas Aquinas and the devil. *Australian Zoologist*.

McCallum, H., M. Jones, C. Hawkins, R. Hamede, S. Lachish, D. L. Sinn, N. Beeton, and B. Lazenby. 2009. Transmission dynamics of Tasmanian devil facial tumor disease may lead to disease-induced extinction. *Ecology* 90:3379-3392.

McCallum, H., D. M. Tompkins, M. Jones, S. Lachish, S. Marvanek, B. Lazenby, G. Hocking, J. Wiersma, and C. E. Hawkins. 2007. Distribution and impacts of Tasmanian devil facial tumor disease. *EcoHealth* 4:318-325.

McGlashan, N. D., D. L. Obendorf, and J. S. Harington. 2007. Update on the devil facial tumour in Tasmania. *European Journal of Oncology* 12:75-80.

Miller, W., V. M. Hayes, A. Ratan, D. Petersen, N. E. Wittekindt, J. Miller, B. Walenz, J. Knight, J. Qi, F. Zhao, Q. Wang, O. Bedoya, N. Katiyar, L. P. Tomsho, L. M. Kasson, R-A. Hardie, P. Woodbridge, E. Tindall, M. F. Bertelsen, D. Dixon, S. Pyecroft, K. M. Helgen, A. M Lesk, T. H. Pringle, N. Patterson, Y. Zhang, A. Kreiss, G. M. Woods, M. E. Jones, and S. C. Schuster (2011) Genetic diversity and population structure of the endangered marsupial *Sarcophilus harrisii* (Tasmanian devil). *Proceedings of the National Academy of Sciences* in press.

Morner, T., D. L. Obendorf, M. Artois, and M. H. Woodford. 2002. Surveillance and monitoring of wildlife diseases. *Rev. sci. tech. Off. int. Epiz.* 21:67-76.

Murchison, E. P. 2008. Clonally transmissible cancers in dogs and Tasmanian devils. *Oncogene* 27.

Murchison, E. P. 2009. Clonally transmissible cancers in dogs and Tasmanian devils. *Oncogene* 29:S19-S30.

Murchison, E. P., C. Tovar, A. Hsu, H. S. Bender, P. Kheradpour, C. A. Rebbeck, D. Obendorf, C. Conlan, M. Bahlo, C. A. Blizzard, S. Pyecroft, A. Kreiss, M. Kellis, A. Stark, T. T. Harkins, J. A. M. Graves, G. M. Woods, G. J. Hannon, and A. T. Papenfuss. 2010. The Tasmanian devil transcriptome reveals Schwann cell origins of a clonally transmitted cancer. *Science* 327:84-87.

Obendorf, D. L. and N. D. McGlashan. 2008. Research priorities in the Tasmanian devil facial tumour debate. *European Journal of Oncology* 13:229-238.

Pearse, A.-M. and K. Swift. 2006. Transmission of devil facial-tumour disease. *Nature* 439:549.

Phillips, B. T. and S. M. Jackson. 2003. Growth and development of the Tasmanian devil (*Sarcophilus harrisii*) at Healesville Sanctuary, Victoria, Australia. *Zoo Biology* 22:497-505.

Pyecroft, S. B., A.-M. Pearse, R. Loh, K. Swift, K. Belov, N. Fox, E. Noonan, D. Hayes, A. D. Hyatt, L. F. Wang, D. B. Boyle, J. S. Church, D. J. Middleton, and R. J. Moore. 2007. Towards a case definition for Devil Facial Tumour Disease: What is it? *EcoHealth* 4:346-351.

Reppas, G., P. Nosworthy, T. Hansen, M. Govendir, and R. Malik. Inguinal panniculitis in a young tasmanian devil (*Sarcophilus harrisi*) caused by *Mycobacterium mageritense*. *Australian Veterinary Journal* 88:197-200.

Siddle, H. V., A. Kreiss, M. D. B. Eldridge, E. Noonan, C. J. Clarke, S. Pyecroft, G. M. Woods, and K. Belov. 2007. Transmission of a fatal clonal tumor by biting occurs due to depleted MHC diversity in a threatened carnivorous marsupial. *Proceedings of the National Academy of Sciences of the United States of America* 104:16221-16226.

Siddle H. V., J. Jolanta; Y. Cheng, M. E. Jones and K. Belov (2010) MHC gene copy number variation in Tasmanian devils: implications for the spread of a contagious cancer. *Proceedings of the Royal Society B-Biological Sciences* 277: 2001-2006.

Siddle, H. V., J. Marzec, Y. Cheng, M. Jones, and K. Belov. 2010. MHC gene copy number variation in Tasmanian devils: Implications for the spread of a contagious cancer. *Proceedings of the Royal Society of London B* (accepted 9 Feb 2010; on-line 10 March 2010).

Siddle, H. V., C. Sanderson, and K. Belov. 2007. Characterization of major histocompatibility complex class I and class II genes from the Tasmanian devil (*Sarcophilus harrisi*). *Immunogenetics* 59:753-760.

Stewart, N. J., S. S. Bettiol, A. Kreiss, N. Fox, and G. M. Woods. 2008. Mitogen-induced responses in lymphocytes from platypus, the Tasmanian devil and the eastern barred bandicoot. *Australian Veterinary Journal* 86:408-413.

Tovar, C., D. Obendorf, E.P. Murchison, A. T. Papenfuss, A. Kreiss, and G. M. Woods (2011) A tumour-specific diagnostic marker for transmissible facial tumours of Tasmanian devils: Immunohistochemistry studies. *Veterinary Pathology*, in press.

Vanherberghen, M. and D. Desmecht. 2007. The transmissible facial tumor of the Tasmanian Devil. *La tumeur faciale transmissible du Diable de Tasmanie* 151:107-111.

Vetter, W., R. Von Der Recke, R. Symons, and S. Pyecroft. 2008. Determination of polybrominated biphenyls in Tasmanian devils (*Sarcophilus harrisi*) by gas chromatography coupled to electron capture negative ion tandem mass spectrometry or electron ionization high-resolution mass spectrometry. *Rapid Communications in Mass Spectrometry* 22:4165-4170.

Vilcins, I. M. E., J. M. Old, and E. Deane. 2009. Detection of a Hepatozoon and spotted fever group *Rickettsia* species in the common marsupial tick (*Ixodes tasmani*) collected from wild Tasmanian devils (*Sarcophilus harrisi*), Tasmania. *Veterinary Parasitology* 162:23-31.

Woods, G. M., A. Kreiss, K. Belov, H. V. Siddle, D. L. Obendorf, and H. K. Muller. 2007. The immune response of the Tasmanian devil (*Sarcophilus harrisi*) and devil facial tumour disease. *EcoHealth* 4:338-345.